

<u>CDA INTERCORP</u>

450 GOOLSBY BLVD. ■ DEERFIELD, FL 33442-3019 (954) 698-6000 FAX (954) 698-6011

| As of November 12, 2010 CDA INTERCORP SPACE PROGRAMS | | | |
|---|---|---------------|--|
| CUSTOMER/PROGRAM | APPLICATION | InterCorp P/N | |
| Alliance Space Systems Program | | | |
| Spacecraft for the Universal Modification of Orbits (SUMO): Robotic Arm | Geared Brushless Permanent Magnet Motor with Friction Brake for Shoulder Yaw Actuator | ER5-A | |
| | Geared Brushless Permanent Magnet Motor with Friction Brake for Shoulder Pitch Actuator | ER6-A | |
| | Geared Brushless Permanent Magnet Motor with Friction Brake for Elbow Pitch Actuator | ER7-A | |
| | Geared Brushless Permanent Magnet Motor with Friction Brake for Wrist Yaw, Pitch & Roll Actuator | ER8-A | |
| | Geared Brushless Permanent Magnet Motor for Tool Drive | ER9-A | |
| ATK Space Systems <u>Program</u> | | | |
| IMAGE: Imager for Magnetopause-to-Aurora Global Exploration | Geared Stepper Motor Brake for Radial Antenna Deployer on Radio Plasma Imager (RPI) | CT2-B | |
| AIM: Aeronomy of Ice in the Mesosphere | Geared Eddy Current Damper for Solar Array Deployment | EM6-A | |
| Advanced Anti-Radiation Guiding Missile Firing | Geared Eddy Current Damper for Deployment Pulley | ЕҮЗ-В | |
| X-32 | Geared Stepper Motor with Detent Brake for Deployment Actuator | FF8-A | |

Applied Physics Laboratory Program

| | Messenger Spacecraft: Mercury Dual Imaging System (MDIS) | Geared Stepper Motor for Filter Wheel Drive | DS9-A |
|--------|---|---|----------------|
| | | Brushless Resolver for Filter Wheel Position Sensing | DT1-A |
| | Compact Reconaissance Imaging Spectrometer for Mars (CRISM) | Geared Stepper Motor for Mirror Fold Drive | DW9-A |
| Astri | um <u>Program</u> | | |
| | Various Satellites Including: Orion, Hotbird, and Skynet | Geared Stepper Motor Brake for Antenna Deployment Trimming Mechanism (ADTM) | BU7-E |
| | Worldstar Satellite | Geared Stepper Motor Brake for Antenna Deployment Trimming Mechanism (ADTM) | CP1-A |
| | Eurostar 3000 | Geared Stepper Motor Brake for Antenna Deployment Trimming Mechanism (ADTM) | DL1-A |
| | High Resolution Dynamics Limb Sounder Instrument (HIRDLS) | Geared Stepper Motor Brake for Solar Shield Door Hinge Drive | DA6-A |
| | AMOS (3) | Geared Eddy Current Damper For Solar Array Deployment | EQ4-A |
| Ball A | Aerospace Program | | |
| | Hubble Space Telescope: Corrective Optics Space Telescope Axial Replacement (COSTAR) | Geared Stepper Motor for Mirror Tip-Tilt Mechanism | BW3-A |
| | | Geared Stepper Motors for Forearm Deployment Mechanism | BW5-A BW7-A |
| | | Stepper Motor Brake for Deployment Drive Mechanism | BX5-A |

| Thermal Imaging Radiometer (TIR) | Geared Stepper Motor for Rotation of Fast Steering Mirror | CA4-B |
|--|--|-------------------------|
| Cosmic Origins Spectograph (COS) | Geared Stepper Motor with Integral Resolver Feedback for Filter Wheel Drive | DH4-A |
| | Geared Stepper Motor with Detent Brake and Ball Screw for Aperture Positioning | DP1-A |
| | Geared Stepper Motor for OSM1 Linear Stage Actuator Drive | DR8-A |
| Hubble Space Telescope: Near Infrared Camera and Multi- Object Spectrometer (NICMOS) | Geared Stepper Motors for Filter Wheel Drive | CD4-A |
| | Geared Stepper Motor for Field Offset Mechanism | CE9-A |
| | Geared Stepper Motor for Pupil Adjustment Mechanism | BW3-C * |
| Hubble Space Telescope: Space Telescope Imaging Spectrograph (STIS) | Brushless Permanent Magnet Motor with Resolver Feedback for CCD Shutter Drive | CD1-A * |
| | Geared Stepper Motors for Mode Select Mechanisms | CA8-A CA9-A CC6-A |
| | Geared Tandem Brushless Resolvers for Mode Select Mechanism | CF1-A CF2-A CF3-A |
| | Geared Stepper Motor for Pupil Adjustment Mechanism | BW3-B |
| | Geared Stepper Motor Brakes for Inner and Outer Calibration Input Mechanisms | CG6-A CG7-A |
| | Geared Stepper Motors for Echelle Blocker and Mode Isolation Shutter | CD5-A ** |

| | Geared Stepper Motor for Secondary Shutter Latch Mechanism | CN5-B |
|---|---|----------------|
| | Rotary Switch for Primary Shutter Latch Mechanism | CN6-A |
| * Also used on Wide Field Camera 3 (WCF3) | | |
| ** Also used on Advanced Camera for Surveys (ACS) | | |
| Hubble Space Telescope: Advanced Camera for Surveys (ACS) | Geared Stepper Motor with Integral Resolver feedback for Filter Wheel Drive | CJ6-B |
| | Geared Stepper Motor with Integral RVDT for Inner Wobbler Drive | CJ7-A |
| | Geared Stepper Motor with Integral Resolver feedback for Outer Wobbler Drive | CJ8-A |
| | Geared Stepper Motor Brakes for Inner and Outer Cal- Door/Cronoagraph Mechanism | CR5-A CR6-A |
| Hubble Space Telescope: Wide Field Camera 3 (WCF3) | Geared Stepper Motor with Integral Resolver Feedback for Filter Wheel Drive | DM6-A |
| | Geared Stepper Motor with Integral RVDT for Inner Wobbler Drive | DM7-A |
| | Geared Stepper Motor with Integral Resolver Feedback for Outer Wobbler Drive | DM8-A |
| Stratospheric Aerosol and Gas Experiment (SAGE III) | Geared Stepper Motor for Solar Attenuator Optic Positioner | CL9-A |
| Spitzer Space Telescope (formerly SIRTF-CTA) | Geared Stepper Motor for Photon Shutter Mechanism Drive | DB7-A |
| | Geared Stepper Motor for Focus Mechanism Assembly Drive | DD5-A |

| Scripps-NISTAR Instrument | Geared Stepper Motor for Shutter and Filter Wheel Drive | DG4-A |
|---------------------------|--|-------|
| Prospector (Classified) | Geared Stepper Motor for Valve 1 Drive | CT4-A |
| | Geared Stepper Motor for Y-Axis Structure Drive | CT5-A |
| | Geared Stepper Motor for Lock 1 Drive | CT7-A |
| | Geared Stepper Motor for Valve 2 Drive | CT8-A |
| | Geared Brushless Permanent Magnet Motor for IMRT Drive | СТ9-А |
| | Geared Stepper Motor for Structure 2 Drive | CU1-A |
| | Geared Stepper Motor for Structure Drive | CU2-A |
| | Geared Stepper Motor for Mechanism Drive | CU3-A |
| | Geared Stepper Motor Brake for Linear Rack Drive | CU4-A |
| | Geared Stepper Motor for Lock 2 Drive | CU9-A |
| | Geared Stepper Motor for VRM Drive | CV1-A |
| | Geared Stepper Motor for PRM Drive | CV2-A |
| | Brushless Permanent Magnet Motor for IMAT Pump Drive | CV6-A |
| | Geared AC Motor Brake for Clamp Actuator | CV9-A |
| | Geared Stepper Motor for Z-MTN Structure Drive | CW2-A |

| Geared Stepper Motor for Mechanism Drive | CW4-A |
|---|-------|
| Geared Stepper Motor for Axis Z Drive | DB9-A |
| Geared Stepper Motor Brake for Axis 4 Drive | DC4-A |
| Geared Stepper Motor with Ball Screw for Axis 3 Drive | DC5-A |
| Geared Stepper Motor Brake for Deployment Drive | DC6-A |
| Geared Stepper Motor for Rotational Drive | DC7-A |
| Geared Stepper Motor for Axis 1 Drive | DC8-A |
| Geared Stepper Motor for Structure Z-MTN Drive | DC9-A |
| Stepper Motor for BAT Agitation Drive | DD3-A |
| Geared Stepper Motor with Ball Screw for BAT Clamp Drive | DD4-A |
| Geared Stepper Motor for PRM Drive | DF9-A |
| Geared Stepper motor w/Friction Brake for Z-Rotation Drive | DP6-A |
| Geared Stepper Motor for RDA Drive | DW2-A |
| Geared Stepper Motor for Universal Drive | DW8-A |
| Geared Stepper Motor for RDA Drive | DY1-A |
| Brushless Permanent Magnet Motor for BAT3 Agitation Drive | DY7-A |
| | |

| | Geared Stepper Motor for Classified Usage | EA5-A |
|--|--|-------|
| Quickbird 1 | Geared Stepper Motor for Focus Mechanism | DJ8-A |
| Ozone Mapping Profiler Suite (OMPS) | Geared Stepper Motor with Integral Resolver Feedback for Nadir Calibration Door Mechanism Drive | DR2-A |
| Deep Impact Spacecraft | Geared Stepper Motor for Shutter Mechanism Assembly Drive on HRI, MRI, and ITS Instruments | DR3-A |
| | Geared Stepper Motor for Nine Position Filter Wheel Assembly Drive on HRI and MRI Instruments | DR4-A |
| Hi Resolution Imaging Science Instrument (HiRISE) | Geared Stepper Motor with Detent Brake and Ball Screw for Fold Mirror #2 Drive | DV8-A |
| OPAL (Classified) | Geared Stepper Motor for FM Drive | DV5-A |
| | Geared Stepper Motor for Cryo- FM Drive | DV6-A |
| | Geared Stepper Motor for Source Select Drive | DW1-A |
| | Geared Eddy Current Damper | DX3-A |
| | Geared Eddy Current Damper | DX4-A |
| NPOESS Preparatory Project (NPP) | Geared Eddy Current Damper for Main Solar Array Deployment Hinge | DZ3-A |
| | Geared Eddy Current Damper for Interpanel Solar Array Deployment Hinge | DZ4-A |
| James Webb Space Telescope (JWST) | Geared Brushless Permanent Magnet Motor for Control of Primary Mirror Segments and Secondary Mirror | EB2-A |

| | Geared Stepper Motor w/Ball Screw for GSE | EW5-A |
|---|---|-------|
| Commercial Laser Communications Terminal (CLCT) | Geared Stepper Motor for Flipper Assembly Drive | EB5-A |
| | Geared Stepper Motor for Switch Assembly Drive | EB6-A |
| Kepler | Geared Eddy Current Damper for Phototomer Deployment | EC7-A |
| Worldview 60 | Geared Eddy Current Damper for Main Deployment Hinge | EC9-A |
| | Geared Stepper Motor with Ball Screw for Focus Actuator | ED2-A |
| Worldview 110 | Geared Eddy Current Damper for Hi Gain Antenna Deployment Boom | EG1-A |
| Space Based Space Surveillance (SBSS) | Geared Stepper Motor for Focus Actuator | EL2-A |
| | Geared Stepper Motor with Rotary Accelerometer for Filter Wheel Drive | EL3-A |
| | Geared Eddy Current Damper for Aperture Door Mechanism | EN8-B |
| | Geared Stepper Motor with Detent Brake for GSE Door Actuator | EN9-A |
| | Geared Eddy Current Damper for Solar Array Main Deployment Hinge | EP4-A |
| OLI: Operational Land Imager | Geared Stepper Motor with Detent Brake and Ball Screw for Focus Mechanism | EW7-A |
| Operational Load Lander (OLI) | Geared Stepper Motor with Feedback Gearbox for Calibration Actuator | EZ1-A |

| | Rofi-STA | Frameless RVT for Shutter Position Sensing | FD8-A |
|-----|--|--|-------|
| Com | Dev Program | | |
| | NGST Demonstrator | Brushless Resolver for Cryogenic System Position Feedback | CA6-B |
| | Stratospheric Wind Interferometer for Transport Studies (SWIFT) | RVDT for PMA Focus Mirror Sensor | ED8-A |
| | | RVDT for Cryogenic PMA Focus Mirror Sensor | ED9-A |
| | James Web Space Telescope (JWST): Find Guidance Sensor | Geared Stepper Motor for Cryogenic Pupil Wheel Actuator | ES2-A |
| | | Geared Stepper Motor for Cryogenic Filter Wheel Actuator | ES3-A |
| | | Geared Stepper Motor with the Detent Brake Integral Position Feedback and Ball Screw for Cryogenic Fine Focus Mechanism | ES4-A |
| | | Geared Stepper Motor with Detent Brake, Integral Position Feedback and Ball Screw for Cryogenic Course Focus Mechanism | ES5-A |
| | | Brushless Resolver for Cryogenic Pupil Wheel Sensor | ES6-A |
| | | Brushless Resolver for Cryogenic Filter Wheel Sensor | ES7-A |
| CSA | Engineering Program | | |
| | Boom Isolation System on Classified Program | Geared Stepper Motor with Acme Screw for Tuned Mass Damper | CM1-A |
| | ision de Nacionales de ridades Espaciales (CONAE) <u>Program</u> | | |

| | SAOCOM | Geared Brushless Permanent Magnet Motor with Rotary Accelerometer for SAR Antenna Panel Deployment | EH1-A |
|-------|---|---|-------|
| | Aquarius/SAC-D | Geared Eddy Current Damper for Solar Array Deployment | EQ7-A |
| | SAC-D | Geared Stepper Motor for Mirror Actuation | EV1-A |
| | : Institute of etary Exploration <u>Program</u> | | |
| | Rosetta Lander | Geared Stepper Motor for Descent/Downlooking Camera Drive | DA1-A |
| Galil | eo Avionica <u>Program</u> | | |
| | COSMO SkyMed | Geared Stepper Motor with Detent Brake for Scanning Mirror Lock Motor on High Resolution Camera | DM1-A |
| | Rosetta Lander | High Accuracy Brushless Resolver For Drill Drive Position Sensor | DH2-A |
| Good | rich Optical & Space Systems Program | | |
| | Hubble Space Telescope: Fine Guidance Sensor (FGS) | Stepper Motor for Fold Mirror Adjustment for S-Curve Restoration | CG5-A |
| | Multi-Thermal Imager | Stepper Motor Brake for Calibration Wheel and Door Mechanisms | CL6-A |
| Hone | ybee Robotics Program | | |
| | Mars Science Lander (MSL) | Geared Brushless Permanent Magnet Motor with Detent Brake for Elevator Actuator | EM2-A |

| | | Geared Brushless Permanent Magnet Motor for Carousel Actuator | EM4-A |
|------|---|---|----------------|
| Hone | eywell <u>Program</u> | | |
| | International Space Station | Geared Stepper Motor with Lead Screw for Cryocooler Flow Control Valve Actuation | CC2-A CC5-A |
| How | den Fluid Systems <u>Program</u> | | |
| | Relatively Mission Space Vehicle and Gravity Probe B | Geared Stepper Motor with Acme Screw for Thruster Isolation Valve | CJ5-A |
| ITT | Program | | |
| | Next View Space Telescope (NVST) | Stepper Motor for Focus Actuator | ED6-A |
| | Next View Orbimage Orbview 5 | Stepper Motor for Focus Actuator Geared Stepper Motor for Outer Barrel Assembly Door Actuator | EF4-A EG3-A |
| | Classified | Stepper Motor | EU3-A |
| | GOES-R: Advanced Baseline Imager | Geared Stepper Motor for Solar Calibration Door Actuator | EU7-A |
| | Classified | Geared Stepper Motor for FLIP A Actuator | EX7-A |
| | GeoEye 2 | Stepper Motor | FC8-A |
| | GOES: Advanced Baseline Imager/Advanced Himawari Imager | Geared Stepper Motor for Solar Calibration Door Actuator | FD7-A |
| Jena | Optronik | | |

Jena Optronik Program

| Mars Netlander | Geared Stepper Motor for PanCam | DT9-A |
|----------------|---------------------------------|-------|
| | Filter Swivel Device Drive | |

| | | Geared Stepper Motor for PanCam Camera Rotation Device Drive | DU1-A |
|-------|---|---|-------|
| Jet P | ropulsion Labs <u>Program</u> | | |
| | Space Shuttle: Spaceborne Imaging Radar (SIR-C), and Shuttle Radar Topography Mission (SRTM) | Geared AC Motors for X-Band Tri- Drive Mechanism | BT5-A |
| | Genesis | Geared Brushless Permanent Magnet Motor for Canister Cover and Lock Ring Actuator | DD6-A |
| | Rosetta/MIRO (Microwave Instruments for Rosetta Orbiter) | Geared Stepper Motor for Calibration Mirror Switch Drive | DF3-A |
| John | Hopkins University Program | | |
| | Far Ultra-Violet Spectroscopic Explorer (FUSE) | Geared Stepper Motor for Fine Mirror Adjustment Mechanism | СК9-А |
| Kong | sberg Program | | |
| | Rosetta Spacecraft | Geared Stepper Motor for Solar Array Deployment Mechanism | DH3-A |
| | KARMA | Geared Stepper Motor for Solar Array Drive Mechanism | EX8-A |
| | | Geared Stepper Motor for Solar Array Drive Mechanism | FB8-A |
| | Bepi Columbo (Mercury Transfer Module) | Geared Stepper Motor for Solar Array Drive Mechanism | EY9-A |
| | KARMA | Geared Stepper Motor for SADM Actuator | FB8-A |

Geared Stepper Motor for SADM

Actuator

FE9-A

*** Also Used on Venus Express and Mars Express

Laboratory for Atmospheric & Space Physics <u>Program</u>

| | SAVE-EOS | Geared Stepper Motor for Filter Wheel Drive | DG2-B |
|-------|--|---|-------|
| | Solar Dynamics Observatory- Extreme Ultraviolet Variability Experiment (SDO-EVE) | Geared Stepper Motor with Integral Resolver Feedback for Filter Wheel Drive | ED3-A |
| | GOES-R | Geared Stepper Motor with Detent Brake for EXIS Door Drive | FA3-A |
| | | Geared Stepper Motor for EXIS Filter Wheel Drive | FA7-A |
| | Total Solar and Spectral Irradiance Sensor (TSIS) | Geared Stepper Motor with Detent Brake for Optical Bench Deployment Actuator | FD1-A |
| Linco | o ln Laboratory <u>Program</u> | | |
| | Earth Orbiter-1 Advanced Land Imager | Geared Stepper Motor for Calibration Plate Drive | CV3-A |
| | linager | Geared Stepper Motor for Aperture Cover Drive | CV4-A |
| | | Geared Stepper Motor Brake with Ball Screw and Integral Resolver Feedback for Calibration Selector Drive | CV5-A |
| | GeoLite Lasercomm Terminal | Geared Stepper Motor for Solar Window Cover Drive | DD1-A |
| | Lasercom | Geared Stepper Motor with Detent Brake for Flexure Actuator | EE2-A |
| Lock | heed Martin <u>Program</u> | | |
| | Solar-B | Geared Stepper Motor with Ball | DK8-A |

| | Screw for Mirror Actuator on Focal Plane Package (FPP) | |
|---|--|--------|
| Space Based Infra Red System (SBIRS) | Geared Stepper Motor for Deployable Light Shade Drive | DP8-B |
| P909 (Classified) and Advanced Extremely High Frequency Communications Satellite (AEHF) | Geared Eddy Current Damper for Deployment Mechanism | DX2-B |
| Helioseismic & Magnetic Imager Investigation (HMI) | Geared Stepper Motor with Acme Screw for Alignment Actuator | EA4-A |
| | Geared Stepper Motor for Door Actuator | EA6-A |
| Atmospheric Imaging Assembly (AIA) | Geared Stepper Motor with Ball Screw for Focus Actuator | EC3-A |
| Marotta Scientific Controls <u>Program</u> | | |
| Vacuum System, International Space Station MD Robotics <u>Program</u> | Stepper Motor Brake for Vacuum Valve Actuation | CL8-C |
| Special Purpose Dexterous Manipulator (SPDM) | Geared Stepper Motor for Orbil Tool Changeout Mechanism (OTCM) Drive | DK6-A |
| Phoenix | Geared Stepper Motor for Lens Cover Actuator | EG4-A |
| MDA Corp. <u>Program</u> | | |
| O3B Gimbaled Antenna | Geared Stepper Motor for Antenna Steering | EW8-B |
| MicroSat Systems <u>Program</u> | Stering | |
| Demonstration & Science Experiment (DSX) | Geared Eddy Current Damper for Solar Array Hinge Line Deployment | ER2-A* |
| Orbcomm Generation 2 (OG2) | Geared Stepper Motor for Solar | EX4-A |
| | | |

| | Satellite | Array Deployment | |
|------|--|---|-------|
| | | * also used on OG2 Satellite | |
| MMA | Design <u>Program</u> | | |
| | CICERO | Geared Stepper Motor with Detent Brake for Antenna Pointing Mechanism | FE2-A |
| NASA | – Goddard Space Flight Center Program | | |
| | Mars Science Lander (MSL) | Geared Brushless Permanent Magnet Motor for High Conductive Valve Actuator | EP1-A |
| | James Webb Space Telescope (JWST): Near Infrared Spectometer (NIRSpec) | Geared Stepper Motor for Microshutter Launch Lock Actuator | ET3-A |
| | | Geared Stepper Motor with Integral Redundant Resolver for Microshutter Helium Cryogenic Actuator | EW6-A |
| NASA | – Johnson Space Center Program | | |
| | International Space Station | Linear Eddy Current Damper for Deployment of Jet Pack Hand Controller | DA3-A |
| NASA | – Langley Research Center Program | | |
| | Gas and Aerosol Monitoring System (GAAMS) | Stepper Motor with Brake for Spectrometer Drive | DK9-A |
| NASA | – Lewis Space Center <u>Program</u> | | |
| | Lunar Rover | Geared Brushless Permanent Magnet Motor for Wheel Drive | EL1-A |

Naval Research Laboratory <u>Program</u>

| Classified | Geared Stepper Motor for Deployment System | CN7-A |
|--|--|-------|
| SOLAR-B | Geared Stepper Motor with Detent Brake for Mirror Actuator | DL4-A |
| | Geared Stepper Motor with Detent Brake and Integral Position Feedback for Paddle Wheel Drive | DL5-A |
| | Geared Brushless Resolver for Mirror Position Sensor | DL6-A |
| Spatial Heterodyne Imager for Mesospheric Radicals (SHIMMER) | Geared Stepper Motor Brake for Shutter Drive | DW6-A |
| | Geared Stepper Motor for Door Drive | DW7-A |
| Nippon Pulse Motor Company Program | | |
| Mercury Magnetospheric Orbiter Satellite (MMO) | Geared Stepper Motor for Drive Actuator | FA9-A |
| Northrop Grumman Aerospace Systems Program | | |
| EOS-PM1 Spacecraft | Geared Eddy Current Damper for X-Band Antenna Deployment | DH1-A |
| TTM Program | Geared Eddy Current Damper for Deployment System | EV2-A |
| | Geared Brushless Permanent Magnet Motor for Deployment System | EH8-B |
| P858 (Classified) | Geared Brushless Permanent Magnet Motor for ME Actuator | EX9-A |
| | Geared Brushless Permanent | EY1-A |

| | | Magnet Motor for MD Actuator Geared Brushless Permanent Magnet Motor for MG Actuator | EY2-A |
|---|---|--|-------|
| | DARPA Fast Access Spacecraft Testbed (FAST) | Geared Stepper Motor for STEM Drive Deployer | FB3-A |
| | James Webb Space Telescope (JWST) | Geared Brushless Motor with Redundant Field Director for PMBA and SMSS Actuators | FB4-A |
| | | Geared Brushless Motor with Redundant Field Director for Sunshield MBA Drive | FB5-A |
| | | Geared Brushless Motor with Redundant Field Director for Sunshield STSA Drive | FB6-A |
| | | Geared Brushless Motor with Redundant Field Director for Sunshield MTS Drive | FB7-A |
| | AMP | Geared Eddy Current Damper for a Classified Application | FF9-A |
| Orbit | tal Sciences Corp. | | |
| | <u>Program</u> Orb View-3 | Geared Stepper Motor with Integral Position Feedback for Camera Door Actuator | DC3-A |
| | Solar Terrestrial Relations Observatory (STEREO) | Geared Stepper Motor for Door Actuator | EB1-A |
| РМО | | | |
| | <u>Program</u> | | |
| | Precision Monitoring of Solar Variability (PREMOS) | Stepper Motor for Cover Mechanism Drive | EP6-A |
| Raytheon Santa Barbara Remote Sensing <u>Program</u> | | | |
| | Thermal Emissions Imaging System (THEMIS) | Geared Stepper Motor for Shutter Control Actuator | DF6-A |

RUAG Space Program

| | SAC-C | Geared Eddy Current Damper for Solar Array Deployment | DB4-A |
|------|---|--|----------------|
| | Rosetta Spacecraft | Geared Stepper Motor for Antenna Pointing Mechanism | DE9-A |
| | Large Deployable Antenna | Geared Stepper Motor for Antenna Deployment | DY8-A |
| | Solar Variable & Irradiance Monitor (SOVIM) | Stepper Motor for Cover Mechanism Drive | DN4-A |
| | Short Range Optical Intersatellite Link Terminal (SROIL) | Stepper Motor with Detent Brake for FOV Drive | DN8-A |
| | JWST Mid Infra-Red Instrument (MIRI) | Geared Stepper Motor for Contamination Cover Drive | EF5-A |
| | Bepi Columbo | Geared Stepper Motor for Thrust Pointing Mechanism Actuator | FE1-A |
| Sand | ia National Laboratories <u>Program</u> | | |
| | Space Shuttle: Mechanisms of Granular Materials (MGM) | Geared Stepper Motor with Acme Screw for Crusher Motor #1 | CE1-A |
| | | Geared Stepper Motor with Acme Screw for Crusher Motor #2 | CE2-A |
| | | | |
| | | Geared Stepper Motor with Acme Screw for Accumulator Motor | CE3-A |
| Sene | | | CE3-A |
| Sene | r <u>Program</u> | | CE3-A |
| Sene | | | CE3-A ET5-A |

Space Systems Loral <u>Program</u>

| | IPSTAR | Geared Eddy Current Damper for Solar Array Deployment | DS6-B |
|------|---|--|-------|
| SSG, | Inc. Program | | |
| | Orb View-3, and Orb View-4, and TRIANA/NISTAR | Geared Stepper Motor with Ball Screw for Camera Focus Drive | CY8-A |
| | Comet Nucleus Tour (CONTOUR) | Geared Stepper Motor with Integral Position Feedback for Mirror Drive | DP2-A |
| | CONTOUR Remote Imaging Spectrograph (CRISP) | Geared Stepper Motor with Integral Position Feedback for Filter Wheel Drive | DP4-A |
| | GOES Advanced Baseline Imager (ABI) | Geared Stepper Motor with Ball Screw for Focus Actuator | EP2-A |
| | JMAPS | Geared Stepper Motor with Detent Brake, Resolver and Feedback Gearbox for Optical Telescope Assembly Drive Actuator | FF1-A |
| | | Geared Stepper Motor with Detent Brake, Resolver and 2-Pass Feedback Gearbox for Optical Telescope Assembly Focus Actuator | FF2-A |
| Swal | es Aerospace <u>Program</u> | | |
| | Solar Heliospheric Observatory (SOHO) | Geared Stepper Motor for Slit Plate Positioning on UVCS (Ultra Violet Coronagraph Spectrometer) | CF8-A |
| | Far Ultra-Violet Spectroscopic Explorer (FUSE) | Geared Stepper Motor for Fine Mirror Adjustment Mechanism | СК9-В |
| | Advanced Camera for Surveys (ACS) | Brushless Permanent Magnet Motor with Resolver Feedback for CDD Shutter Drive | CD1-A |

| | Hubble Space Telescope (HST) | Geared Brushless Permanent Magnet Motor for Power CAT Drive | DN6-A |
|-----|--|---|-------|
| | ICESat: Geoscience Laser Altimiter System (GLAS) | Geared Stepper Motor for Boresight Adjustment Mechanism Drive | DU2-A |
| | Pupil Imaging Lens (PIL) | Geared Stepper Motor for Secondary Lens Actuator | EE4-A |
| | | Rotary Switch for Primary Lens Actuator | EE5-A |
| | MARS Science Laboratory (MSL) Chemistry & Mineralogy X-Ray Diffraction/X-Ray Fluorescence Instrument (CheMin) | Geared Stepper Motor for Sample Wheel Actuator | EP8-A |
| | | Brushless Resolver for Sample Wheel Position Sensing | EQ1-A |
| | | Geared Stepper Motor with Detent Brake and Ball Screw for Linear Drive | EQ3-A |
| TNO | Duo anom | | |
| | <u>Program</u> | | |
| | High Vacuum Test | Brushless Permanent Magnet Motor with Integral Brushless Resolver for Chopper Wheel Drive | DS2-A |
| | ersity of Arizona r & Planetary Laboratory <u>Program</u> | | |
| | Mars Volatiles & Climate Surveyor (MVACS) | Stepper Motor for Focus Actuator | CS2-A |
| | | Stepper Motor for Cover Drive | CS3-A |
| | | Geared Stepper Motor for Filter Wheel Drive | CS4-A |
| | MARS 2002 | Stepper Motor for Focus Actuator | CS2-B |

| Phoenix; Stereo Surface Imager (SSI) | Geared Stepper Motor for Filter Wheel Drive | EC6-A |
|---|--|-------|
| University of Colorado <u>Program</u> | | |
| Far Ultra-Violet Spectroscopic Explorer (FUSE) | Geared Stepper Motor for Focal Plane Mirror Drive | CL1-A |
| | Geared Stepper Motor for Micrometer Drive | CP6-A |
| | Geared Stepper Motor with Ball Screw for Focus Drive | CP7-A |
| University of Padova (CISAS) <u>Program</u> | | |
| Rosetta Orbiter: Optical, Spectroscopic, and Infrared Remote Imaging System (OSIRIS) | Geared Stepper Motor for Cover Shield Drive on Narrow and Wide Angle Cameras | DH6-A |
| University of Utah: Space Dynamics Lab <u>Program</u> | | |
| Geostationary Imaging Fourier Transform Spectrometer (GIFTS) | Geared Stepper Motor Brake for Aperture Cover | DT2-A |
| | Geared Stepper Motor for Flip In Actuator | DT3-A |
| | Geared Stepper Motor with Ball Screw for IFC Selector | EA1-A |
| Zellweger Analytics Program | | |
| International Space Station | Stepper Motor for Water Quality Monitor Sensor Effect Unit | CA5-C |
| | Synchronous Motor for Water Quality Monitor Sensor Effect Unit | CA7-B |

TOTAL NUMBER OF APPLICATIONS: